



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/883,093	06/14/2001	Catherine Guenther	R126/75658.241	7936

26619 7590 05/30/2006

JOHN E. BURKE
GREENBERG TRAURIG LLP
1200 17TH STREET, SUITE 2400
DENVER, CO 80202

EXAMINER

WILSON, MICHAEL C

ART UNIT PAPER NUMBER

1632

DATE MAILED: 05/30/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/883,093

Applicant(s)

GUENTHER ET AL.

Examiner

Michael C. Wilson

Art Unit

1632

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 30 March 2006.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 41-50 and 53 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 41-50 and 53 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 3-30-06.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 3-30-06 has been entered.

Claims 1-40, 51, 52 and 54-57 have been canceled. Claims 41-50 and 53 remain pending and under consideration in the instant office action.

Applicant's arguments and the Declaration by John Burke filed 3-30-06 have been fully considered but they are not persuasive.

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Specification

The objection to the amendment filed 7-18-05 has been withdrawn in view of the amendment to pg 10 of the specification.

Claim Rejections - 35 USC § 101

Claims 41-50 and 53 remain rejected under 35 U.S.C. 101 because the claimed invention is not supported by either a specific or substantial asserted utility or a well-established utility for reasons of record.

REVISED INTERIM UTILITY GUIDELINES TRAINING MATERIALS repeated
from <http://www.uspto.gov/web/menu/utility.pdf>

"Specific Utility" - A utility that is specific to the subject matter claimed. This contrasts with a general utility that would be applicable to the broad class of the invention. For example, a claim to a polynucleotide whose use is disclosed simply as a "gene probe" or "chromosome marker" would not be considered to be specific in the absence of a disclosure of a specific DNA target. Similarly, a general statement of diagnostic utility, such as diagnosing an unspecified disease, would ordinarily be insufficient absent a disclosure of what condition can be diagnosed.

"Substantial utility" - a utility that defines a "real world" use. Utilities that require or constitute carrying out further research to identify or reasonably confirm a "real world" context of use are not substantial utilities. For example, both a therapeutic method of treating a known or newly discovered disease and an assay method for identifying compounds that themselves have a "substantial utility" define a "real world" context of use. An assay that measures the presence of a material, which has a stated correlation to a predisposition to the onset of a particular disease condition, would also define a "real world" context of use in identifying potential candidates for preventive measures or further monitoring. On the other hand, the following are examples of situations that require or constitute carrying out further research to identify or reasonably confirm a "real world" context of use and, therefore, do not define "substantial utilities":

A. Basic research such as studying the properties of the claimed product itself or the mechanisms in which the material is involved.

B. A method of treating an unspecified disease or condition. (Note, this is in contrast to the general rule that treatments of specific diseases or conditions meet the criteria of 35 U.S.C. 101.)

C. A Method of assaying for or identifying a material that itself has no "specific and/or substantial utility".

D. A method of making a material that itself has no specific, substantial, and credible utility.

Art Unit: 1632

E. A claim to an intermediate product for use in making a final product that has no specific, substantial, and credible utility.

(Page 5-7 of utility guidelines).

A "well-known utility" is a specific, substantial and credible utility which is well known, immediately apparent, or implied by the specification's disclosure of the properties of the material, alone or taken with the knowledge of one skilled in the art. Neither a "well-established utility" nor a "specific utility" applies to any utility that one can dream up for an invention or a utility that would apply to virtually every member of a general class of materials, such as proteins or DNA.

(Paragraph bridging pg 32-33 of utility guidelines).

The mCAR2 gene

"An additional member of this superfamily, constitutive activator of retinoid acid response (CAR) receptors, has been described (See, e.g., U.S. 5,756,448). It has been suggested that CAR could play an important role in the regulatory network that controls expression of RA responsive genes. Recently, a new murine orphan member, termed mCAR was identified which is closely related to the previously identified human orphan CAR (hCAR) (See e.g., Choi, et al., J. Biol. Chem. 272(38)23565-71(1997)). Like hCAR, mCAR expression is highest in the liver. Both mCAR 1 and hCAR are apparently constitutive transcriptional activators. This activity is dependent on the presence of the conserved C-terminal AF-2 transcriptional activation motif. As expected from its inability to bind DNA, the mCAR2 variant neither transactivates by itself nor inhibits transactivation by hCAR or mCAR1" (paragraph bridging pg 1-2).

The art did not teach the function of the mCAR2. One of skill would not have reasonably implied that mCAR2 disruptions were associated with any disease at the time of filing.

The claims

Claims 41-50 and 53 are directed toward a transgenic mouse whose genome comprises a homozygous disruption in the gene encoding the mCAR2 protein said

Art Unit: 1632

protein comprising the amino acid sequence set forth in SEQ ID NO: 2, said mouse exhibiting relative to a wild-type control mouse, lymphoid depletion of at least one the following: spleen, thymus and lymph nodes

The specification

The specification teaches making mCAR2 $-/+$ and $-/-$ mice with a deletion of bp 282-403 (121 bp) of the mCAR2 gene (pg 51-52; Example 1; Fig. 2). It is noted that the specification does not teach what promoters drive the LacZ and neo genes inserted into the mCAR2 gene, that the 121 bp from 282-403 provide the function of mCAR2 or that a mCAR2 gene having the 121 bp deletion produces a non-functional mCAR2 protein.

The specification suggests doing expression analysis using the mice pg 53, line 23. RNA transcripts were detectable in the liver, gallbladder, adrenal gland, small intestine and cecum (pg 53, lines 23-29). Using the mice claimed for expression analysis is not a substantial utility because many tissues expressed the transgene and because the results did not reveal the function of the mCAR2 gene.

The specification suggests using the mice as a model of disease, specifically as a model for infertility, glucose metabolism, diabetes, behavioral, neurological, neuropsychological, psychotic phenotypes (pg 18-20; pg 20, line 2). However, the specification does not disclose that neurological, neuropsychological or psychotic disease found in humans is linked to a disruption in the nuclear hormone receptor of SEQ ID NO: 1. The mice had lymphoid depletion in the spleen, thymus and lymph nodes (pg 52-53); however, the specification does not teach how to use such mice as a model of disease.

The mice showed decreased performance in the rotarod test. However, the specification does not teach how to use such mice as a model of any disease or that a disruption in SEQ ID NO: 1 in humans relates to a disease that causes decreased coordination. None of the phenotypes found by the tests correlate to a useful phenotype because the phenotypes described are not specific to a disease and are not linked to a disruption in the human equivalent of SEQ ID NO: 1. The results of the behavioral tests are also not statistically significant because the number of mice tested is not disclosed. The mice claimed cannot be used to determine compounds that modulate nuclear hormone receptor expression because nuclear hormone receptor is not expressed in the cells of the mice. Using the mice to determining whether a particular phenotype is ameliorated is not a specific or substantial utility because the specification does not link the phenotype to any specific disease or to a disease caused by a disruption in humans. The specification does not identify any compounds that ameliorate any condition using the mice. Thus, the specification does not provide a specific or substantial use for a mouse as claimed, specifically having the phenotypes recited in claims 41-50 and 53.

The medical profession does not treat organs having decreased size or weight; therefore, treating organ size or weight is not a substantial or credible utility. Nor are organs having decreased size or weight specific to any disease; therefore, treating organ size is not a specific utility.

The medical profession does not treat organ to body weight ratio; therefore, treating organ to body weight ratio is not a substantial or credible utility. Nor is organ to body weight ratio specific to any disease; therefore, treating organ to body weight ratio is not a specific utility.

The medical profession does not treat spleens, thymuses or lymph nodes having lymphoid depletion; therefore, treating spleens, thymuses or lymph nodes having lymphoid depletion is not a substantial or credible utility. Nor are spleens, thymuses or lymph nodes having lymphoid depletion specific to any disease; therefore, treating organ size is not a specific utility. While patients having decreased lymphoid cells are treated as a whole, the spleens, thymuses and lymph nodes are not specifically treated; therefore, targeting the increase of lymphoid cells to spleens, thymuses or lymph nodes is not credible.

The asserted utilities for a mouse having impaired coordination are not specific, substantial or credible. First, the medical profession does not specifically treat impaired coordination. For example, impaired coordination in the elderly may occur and may be caused by osteoporotic bones, symptoms of pain, or atrophied muscles. The osteoporotic bones, symptoms of pain or atrophied muscles would be treated, not the impaired coordination. Furthermore, "impaired coordination" is a relative term. Second, the medical profession does not treat clumsiness. For example, a first tennis player may have impaired coordination, or lower than average coordination (clumsy), while the second tennis player has better than average coordination. The specification does not teach how to treat the first player so that the first player would be as coordinated as the

Art Unit: 1632

second player. Treating clumsiness cannot be envisioned; therefore, using the mouse as a model for clumsiness is not a substantial or credible utility. In addition, the rotarod test used to determine impaired coordination is used to test gross neurological function; therefore, using mice with impaired coordination is not specific to any neurological condition. Overall, mice having impaired coordination do not have a specific, substantial or credible.

In addition, a mouse having a small or light thymus, spleen, lymph node is not specific to any disease condition. A mouse having decreased coordination/balance is not specific to any disease. A disruption in a mCAR2 gene has not been linked to any disease condition. Therefore, the mice are not models of any disease.

Wild-type mice could be used to determine agents that make organs bigger or heavier. Wild-type mice could be used to determine agents that improve coordination. Therefore, using mice to find agents that increase organ size/weight or coordination/balance is not specific to mice having a disruption in the mCAR2 gene as claimed. In addition, the specification does not teach identifying any therapeutic agents using the mice; therefore, applicants' assertion is not credible in view of the teachings in the art and the lack of examples in the specification.

The data provided in the specification is not substantial because the observed phenotypes may have been a result of the donating ES cell phenotype and cannot be compared to a C57Bl6 wild-type control mouse. The Jackson Laboratory describes C57BL/6 mice as having a high susceptibility to diet-induced obesity and type 2 diabetes (see www.jax.com under "Description of mouse strains," stock number

000664). The mice in the examples of the specification were of a mixed strain (F2 homozygotes were 75% C57Bl/6 and 25% 129/OlaHsd). The specification does not teach which generation of mice were tested or to what wild-type control they were compared. If the homozygous F2 mice were compared to a C57Bl/6 wild-type control, the phenotype of the 129/OlaHsd strain may have contributed to the observed difference in the phenotype and not the disruption of the mCAR2 gene. Crabbe of record supports the examiners position by teaching that C57Bl/6 mice have different phenotypes than other strains of mice (Science, June 4, 1999, Vol. 284, pg 1670-1672). Therefore, a mixed strain knockout mouse may have a phenotype that is found in the contributing ES cell strain and not in the wild-type C57Bl6 mouse. The specification does not teach the mixed strain knockout mouse was backcrossed adequately for a proper comparison to a wild-type C57Bl6 mouse. The specification does not teach the mixed strain knockout mouse was backcrossed adequately for a proper comparison to a wild-type C57Bl6 mouse. The specification does not teach that both wild-type C57Bl/6 and the wild-type contributing ES cell strain had the same body weight. As such, one of skill would not be able to conclude that the observed difference was attributed to the knockout of mCAR2 and not the 129/OlaHsd genotype of the ES cell strain contributing to the genome of the heterozygous mice. Thus, the mice claimed do not have substantial utility because the data provided is not substantial.

The specification asserts the mice claimed are used as a model of disease relating to disruptions in mCAR2. The asserted utility is not substantial, specific or credible because the phenotypes claimed do not reflect a disease state in humans. No

Art Unit: 1632

diseases in humans are caused by a disruption in mCAR2. Therefore, the asserted utility of using the mouse as a model of disease is not substantial or specific.

The specification asserts the mice claimed are used to determine compounds that modulate mCAR2 expression. The asserted utility is not credible because mCAR2 is not expressed in the mice and because compounds found using such a mouse may act on non-mCAR2 proteins in a pathway related to mCAR2.

The specification asserts the mice claimed are used to determine compounds that ameliorate a particular phenotype. The asserted utility is not specific, substantial or credible for reasons in the following paragraphs.

Determining compounds that ameliorate a phenotype is not a specific utility because the specification does not link any of the phenotypes described in the specification to any specific disease or to a disease caused by a mCAR2 disruption in humans.

In fact, the phenotypes observed in the Examples may be a result of other genes compensating for the disruption of mCAR2. Olsen taught that a disruption of a gene in a mouse does not necessarily correlate to or cause the phenotype observed in the mouse because other proteins compensate for the disruption (Olsen, GABA in the Nervous System, 2000, pg 81-95; "This can arise from a lack of any role for the gene in question in regard to the trait studies or from compensation by other gene products" pg 82, last 11 lines of col. 1). Therefore, determining compounds that ameliorate the phenotypes observed in the Examples would not be a specific or substantial utility

Art Unit: 1632

because the phenotypes observed in the Examples are not necessarily caused by the disruption of mCAR2.

For example, Srivastava (PNAS, Nov. 23, 1999, Vol. 96, No. 24, pg 13783-13788) taught making an ANX7 $-/-$ mouse with defects in insulin secretion and that the observed phenotype was a result of compensation by making more secreting cells and loading each secretory granule with more insulin" (pg 13788, last full ¶). Therefore, observed phenotypes in the instant application may be a result of cells compensating for the lack of mCAR2 and not a result of the disruption of the mCAR2 gene.

Determining compounds that ameliorate a phenotype is not a credible utility because the specification does not identify any compounds that alter a phenotype of the mice.

Determining compounds that ameliorate a phenotype is not a specific or substantial utility because determining compounds that alter a phenotype may not reveal the function of the protein. Bowery (Pharm. Rev., 2002, Vol. 54, pg 247-264) taught, "no unique pharmacological or functional properties have been assigned to either subunit or the variants" of GABA_B. "The emergence of high-affinity antagonists for GABA_B receptors has enabled a synaptic role to be established. However, than antagonists have generally failed to establish the existence of pharmacologically distinct receptor types within the GABA_B receptor class. The advent of GABA_{B1} knockout mice has also failed to provide support for multiple receptor types" (pg 247, col. 2, lines 4-13). Thus, knockout mice may be used to identify compounds that bind to the knocked out gene (GABA_B in the case of Bowery), but the identification of such compounds may not

reveal the function of the protein (because Bowery identified agents that altered phenotypes but the functional properties of GABA subunits remained unknown). Determining compounds that ameliorate a phenotype is also not a "specific utility" because the agent may be affecting other proteins in the pathway and not mCAR2 itself. Determining compounds that ameliorate a phenotype is also not a "specific utility" because the agent may be found using wild-type mice. As such, determining compounds that ameliorate a phenotype is not a specific or substantial utility.

Determining compounds that ameliorate a phenotype is not a substantial utility because compounds that alter a phenotype may not be therapeutic in humans. MacDonald (J. Biol. Chem., Nov. 22, 2002, Vol. 277, pg 44938-44945) identified a bispidine derivative (C-1) that antagonized Kv2.1 using different mouse cells, but taught that further experimentation was required to determine how to use bispidine derivatives to treat diabetes (see last ¶). Mombereau (Neuropsychopharmacology, 2004, Vol. 29, pg 1050-1062) administered antagonists of GABA_B receptor to GABA_B -/- knockout mice, which caused decreased anxiety in various tests. While the antagonists were not found using the mice, they were found using *in vitro* assays (see pg 1058, col. 2, 1st full ¶, lines 4-8, and Urwyler *et al*, 2003, referred to therein). Mombereau concludes "we acknowledge both the inherent difficulties and the caution needed in the interpretation of behavioral analysis of genetically modified mice such as the GABA_B(1) -/- mice, which have overt behavioral disturbances, in more defined tests relevant to psychopathology. Nonetheless, the current data show that even such mice can still be utilized to give important indicators of the role of a given protein, in this case the GABA_B receptor, in a

Art Unit: 1632

molecular pathway relevant for the manifestation of anxiety or depression. These assertions can then be confirmed more parametrically using appropriate pharmacological activators and antagonists as we have done using novel GABA_B receptor positive modulators and antagonists" (§ bridging pg 1059-1060). Mombereau used the antagonists to confirm the "antidepressant-like phenotype of GABA_B -/- mice pharmacologically (pg 1059, col. 1, 2nd full ¶, line 1-4). However, the art did not and does not teach using the antagonist to treat any disease. Thus, compounds that alter a phenotype in knockout mice may not be used for therapy in humans. Using the mouse to obtain clues of the role of the GABA_B receptor in a molecular pathway of anxiety as taught by Mombereau or to confirm the phenotype of the mouse pharmacologically as described by Mombereau is not a specific or substantial utility because it is generic to a pathway of anxiety and because it does not result in determining the function of GABA_B in the pathway. Too much further research would be required to determine whether "positive modulators" or "antagonists" that bind GABA_B will treat anxiety or how to modify the compounds so that they can treat anxiety. Further research would be required to determine how to use agents identified using the mouse to treat disease, which is not a "substantial utility" (see Utility Guidelines under "substantial utility" - methods of determining a compound that itself has no "specific and/or substantial utility"). Therefore, determining agents that modulate the phenotype of a knockout mouse is not a substantial utility because the agent may only provide clues to the function of the knocked out gene and may not be capable of treating disease in humans.

Knockout -/- or +/- mCAR2 mice did not have a “well-known utility” to study the function of mCAR2. MPEP 2701 II(A)(3) requires a “well-established utility” must be a utility that is specific, substantial and credible. It was well known that knockout mice could be used for scientific research to study the function of a gene. However, scientific research is not the same as “patentable utility” or a “well-established” utility.

Olsen (GABA in the Nervous System, 2000, pg 81-95, also cited above) taught that “although gene targeting is often useful in delineating the contribution of a given gene product to phenotypic characteristics observed, some gene knockouts lead to embryonic or perinatal lethality, and others lead to no apparent phenotype. This can arise from a lack of any role for the gene in question in regard to the trait studies or from compensation by other gene products. Analysis of the compensation can yield valuable clues to the genetic pathway” (pg 82, last 11 lines of col. 1). Thus, knockout mice may not be capable of elucidating the function of the protein and may only provide a clue to a pathway the protein being knocked out is involved in. Using mice to obtain a clue to a pathway is not a “substantial utility.” Using a mouse with a phenotype caused by genes compensating for a knocked out gene is not a “specific utility” because the phenotype is not specific to the knocked out gene.

The MPEP and utility guidelines clearly set forth that a “well-established utility” must be specific, substantial and credible. While knockout mice were used for scientific research in the art at the time of filing, significant further research was required to determine the function of the gene. In fact, the function of the gene may never be determined from the knockout mouse. A mouse requiring significant further research to

Art Unit: 1632

determine the function of the gene does not rise to the level of having a "well-established utility." Using the mouse for further research is not a substantial utility, which is specifically described in the utility guidelines:

[T]he following are examples of situations that require or constitute carrying out further research to identify or reasonably confirm a "real world" context of use and, therefore, do not define "substantial utilities":

A. Basic research such as studying the properties of the claimed product itself or the mechanisms in which the material is involved.

The specification does not teach how to use the mice claimed as research tools. Specifically, the mice claimed do not compare to research tools such as gas chromatographs, screening assays or nucleotide sequencing methods known to have specific, credible and substantial utilities. Gas chromatographs separate the chemical components of a compound and identify them. Screening assays have various functions, but may be used, for example, to determine the amount of protein expression in a population of cells. Sequencing methods provide the nucleotide sequence of a nucleic acid molecule. Unlike gas chromatographs, screening assays or sequencing methods, the mice claimed may be used to generate data, but the data may not reveal the function of the gene or provide any substantially useful information. Evidence is provided by applicant's own data in which expression analysis and behavioral analysis generated data indicating the mice had decreased performance on a rotarod, reduced spleen weight, lymphoid depletion in the spleen and thymus, and reduced thymus size and weight, but the data does not reveal the function of SEQ ID NO: 1. Further research would be required to determine the function of SEQ ID NO: 1 using the

phenotypic data provided by applicants. The utility guidelines state using a product for further research is not a "substantial" utility. In this case, the expression and phenotypic analysis provide clues that are so generic as to be meaningless. The function of a gene that causes decreased performance on a rotarod, reduced spleen weight, lymphoid depletion in the spleen and thymus, and reduced thymus size and weight cannot be guessed. Therefore, using the mouse claimed as a research tool, specifically for expression and phenotypic analyses, does not provide any substantial utility.

In this case, further study would have been required to determine how to use the -/- or +/- mCAR2 mouse known in the art or of applicants' invention to determine the function of the gene. The overall phenotype of the applicants' mice does not correlate to Dent Disease or any other disorder. Therefore, further study would be required to determine the function of the mCAR2 gene or how to use the mice as a model for any disease. As such, using the mice claimed to determine the function of the mCAR2 is not a "substantial utility."

Applicant argues the mice have a well-established utility because a person of ordinary skill would immediately appreciate why the knockout mice were useful to define the function and role of the disrupted gene. Applicant points to an NIH press release from 2005 to establish the mice had "well-established" utility. Applicants conclude the mice are useful for determining gene function (pg 5-6). Applicant's arguments are not persuasive.

First, the NIH press release was not available until 2005 and cannot be used to

establish what was "well-established" at the time of filing.

Second, while the NIH press report suggests only 250 mice may be purchased for further study. It is not clear that NIH will acquire the mCAR2 knockout mouse.

Third, the NIH press release does not state mCAR2 knockout mice are models of disease or that a mouse with decreased performance on a rotarod, reduced spleen weight, lymphoid depletion in the spleen and thymus, and reduced thymus size and weight as described in the instant application is a model of disease.

Lastly, the NIH press release merely suggest using knockout mice for further research, which does not rise to the level of a substantial utility according to the utility guidelines.

Neither applicants nor the NIH press release teach how to perform further research on mCAR2 knockout mice. Applicants have failed to provide adequate knowledge to those of skill regarding how to use the mCAR2 knockout mice for any further research. The NIH press release does not overcome this deficiency. In fact, the NIH press release does not teach mCAR2 knockout mice will determine the function of the mCAR2 gene or how the mCAR2 knockout mice will be used in further research. A mouse requiring further research to determine the function of the gene does not rise to the level of having a "well-established utility" (see utility guidelines). It would even require further research of the mCAR2 knockout mouse itself to determine a specific pathway in which the mCAR2 gene is involved. Further study of the knockout mouse itself is clearly cited in the utility guidelines as not rising to the level of a substantial utility.

Applicants argue the -/- and +/- mCAR2 mice have specific utility because they can be used to study the function of the mCAR2 and the association of the mCAR2 gene with, for example, thymic dysplasia and lymphocyte depletion. Applicants' argument is not persuasive. While applicants characterized the -/- mCAR2 knockout mice as having thymic dysplasia and lymphocyte depletion, the specification does not teach any assays to use mCAR2 knockout mice to study the function of the mCAR2 or the association of the mCAR2 gene with thymic dysplasia or lymphocyte depletion.

Applicants argue Maglich (J. Biological Chem., 2004, Vol. 279, No. 19, 19832-19838) teaches how to use a mCAR2 knockout mouse; therefore, applicants conclude the mCAR2 knockout mouse claimed has utility. Applicants' argument is not persuasive. Maglich was not available at the time of filing and cannot be used to establish applicants knew how to use mCAR2 knockout mice at the time of filing. Furthermore, Maglich used the mice in assays relating to metabolism and obesity, specifically to how mCAR2 and its ligands affect thyroid hormones and metabolism. Nowhere do applicants teach or suggest using the mCAR2 knockout mice in such assays. None of the assays described by Maglich are readily apparent from the teachings in the instant application. See also Maglich (Mol. Pharm. 2002, Vol. 62, No. 3, pg 638-646). Therefore, the "utility" described by Maglich was not contemplated by applicants or readily apparent from the specification as originally filed. Finally, Maglich does not teach how to use mCAR2 knockout mice having lymphoid depletion. Without such guidance, Maglich cannot be used to support a "utility" for studying the link between the mCAR2 gene and lymphoid depletion.

Applicants argue Wei (Nature, Oct. 2000, Vol. 407, pg 920-923) teaches how to use a CAR knockout mouse; therefore, applicants conclude the mCAR2 knockout mouse claimed has utility. Applicants' argument is not persuasive. Wei did not teach the mice had a disruption of mCAR2 or had lymphoid depletion as claimed. In addition, Wei (Oct. 2000) was not available at the time of filing and, therefore, cannot be used to establish applicants knew how to use mCAR2 knockout mice at the time of filing. Furthermore, Wei used the mice in assays relating to the ability of CAR to mediate the response evoked by phenobarbital-like inducers. Nowhere do applicants teach or suggest using the mCAR2 knockout mice in such assays. Therefore, applicants did not contemplate the use described by Wei at the time of filing or readily apparent from the specification as originally filed. Finally, Wei does not teach how to use mCAR2 knockout mice having lymphoid depletion. Without such guidance, Wei cannot be used to support a "utility" for studying the link between the mCAR2 gene and lymphoid depletion as asserted by applicants in their arguments (but not in the specification as originally filed).

Likewise, Ueda (Mol. Pharm. 2002, Vol. 61, No. 1, pg 1-6) did not teach the CAR disruption was an mCAR2 disruption, Ueda was not available to at the time of filing and, therefore, cannot establish applicants knew how to use the mice claimed at the time of filing, Ueda used the mice in assays not described or contemplated in the specification as originally filed, and Ueda did not teach how to use knockout mice to study the link between a gene and lymphoid depletion.

Huang (PNAS, 2003, Vol. 100, pg 4156-4161) did not teach making CAR

knockout mice. The mice of Huang overexpressed human CAR in the liver; therefore, the mice of Huang do not relate to the mice claimed. Applicants did not describe using mice to study the role of CAR in bilirubin metabolism as described by Huang, nor is it readily apparent from the specification as originally filed. Therefore, Huang cannot be used to establish that applicants knew how to use the mice claimed at the time of filing.

Zhang (J. Biol. Chem. 2004, Vol. 279-pg 49517-49522) did not teach the CAR disruption was an mCAR2 disruption, Zhang was not available to at the time of filing and, therefore, cannot establish applicants knew how to use the mice claimed at the time of filing, Zhang used the mice in assays not described or contemplated in the specification as originally filed, and Zhang did not teach how to use knockout mice to study the link between a gene and lymphoid depletion as asserted by applicants in their arguments (but not in the specification as originally filed).

Applicants argue mice actually being used must have a real world use. Applicant's argument is not persuasive. Just because the mice are in use in the industry in 2005 does not mean the specification as originally filed disclosed a "real world use." The industry may have determined how to use the mice since the time of filing. Furthermore, just because the mice were used in expression and phenotyping analyses does not indicate that using the mice in such analyses had substantial, specific and credible utility. That is because the data in this case did not reveal the function of the mCAR2 gene or that the mouse was a model of any disease. The utility guidelines indicate a "real world use" must be substantial, specific and credible. In this case, merely studying a gene using a knockout mouse is not a substantial "real world

Art Unit: 1632

use” because the gene does not have a patentable utility, because further research does not constitute a patentable utility and because the mouse may never reveal the function of the gene. Nowhere has applicants pointed to one specific assay that has a substantial use in which the mice claimed are used by the industry or that correlates the data to a specific disease condition or gene function. Nowhere has the applicant pointed to one piece of data that can be correlated to a disease state or that is capable of revealing the specific function of the mCAR2 gene. Therefore, it is not readily apparent that the mice claimed have a “real world use” that is substantial, specific and credible.

Applicants argue the control mice used were of the same generation, F2N0. Applicants provide a declaration by John Burke that the -/-, -/+ and +/+ mice used in phenotype analysis were all of the same generation, F2N0. Applicants’ argument is not persuasive. The Declaration is not persuasive because John Burke is not one of direct knowledge as he is applicants’ representative. John Burke did not compare the transgenic mice, have direct knowledge of what control mice were used, or generate the data. The Exhibit merely states mutants were compared to wild-type mice (“Gene 126 Histopathology”). Page three of the raw histopathology data does not provide any indication that the wild-type mice were F2N0.

Claim Rejections - 35 USC § 112

Enablement

Claims 41-50 and 53 remain rejected under 35 U.S.C. 112, first paragraph. Specifically, since the claimed invention is not supported by either a specific or substantial asserted utility or a well established utility for the reasons set forth above, one skilled in the art clearly would not know how to use mice having abnormal pain threshold for reasons of record.

Applicants refer to the arguments provided under the utility rejection. Applicants' arguments are not persuasive for reasons cited above.

New Matter

Claims 41-50 and 53 remain rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement for reasons of record. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

The phrase "the mCAR2 protein, said protein comprising the amino acid sequence set forth in SEQ ID NO: 2" in claim 53 is new matter. Nowhere does the specification teach the mCAR protein comprising the amino acid sequence set forth in SEQ ID NO: 2. Pg 6, lines 24-29, describes a "nuclear hormone receptor gene" as being "a sequence comprising SEQ ID NO: 1 or... ... isoform mCAR2 identified in Genbank as Accession No.: AF009328; GI NO: 2267577." The protein comprising the amino acid sequence of SEQ ID NO: 2 is not described on pg 6 or anywhere else in the specification.

The phrase “the gene encoding the mCAR2 protein, said protein comprising the amino acid sequence set forth in SEQ ID NO: 2” in claim 53 is new matter. Nowhere does the specification teach the gene encoding an mCAR protein comprising the amino acid sequence set forth in SEQ ID NO: 2. Pg 6, lines 24-29, describes a “nuclear hormone receptor gene” as being “a sequence comprising SEQ ID NO: 1 or... .. isoform mCAR2 identified in Genbank as Accession No.: AF009328; GI NO: 2267577.” The gene encoding the amino acid sequence of SEQ ID NO: 2 is not described on pg 6 or anywhere else in the specification.

Indefiniteness

Claims 41-50 remain rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention for reasons of record.

The rejection regarding the “mCAR2 gene” has been withdrawn in view of the amendment.

Claims 41-50 remain indefinite because the metes and bounds of what applicants consider an “abnormality” cannot be determined. The term “abnormal” is subjective and is not defined in the specification and is a subjective term in the art. Applicants the location of the abnormality is stated in the claim. Applicants’ argument is moot. The rejection is based on the subjectivity of the term. Applicants’ argument that one skilled in the art would understand the term is unfounded. Deletion of “a spleen abnormality comprising” in claim 41, for example, would overcome this rejection.

Claim Rejections - 35 USC § 102

The rejection of claim 53 under 35 U.S.C. 102(b) as being anticipated by Kato (J. Biochem., May 2000, Vol. 127, pg 717-722) supported by Li (PNAS, Sept. 1997, Vol. 94, pg 9831-9835) has been withdrawn. Kato taught heterozygous and homozygous mice having a disruption in the nuclear hormone receptor gene VDR. Kato did not teach the VDR gene encoded the amino acid sequence of SEQ ID NO: 2 as claimed.

Claim Rejections - 35 USC § 103

The rejection of claim 53-57 under 35 U.S.C. 103(a) as being unpatentable over Kato (J. Biochem., May 2000, Vol. 127, pg 717-722) supported by Li (PNAS, Sept. 1997, Vol. 94, pg 9831-9835) in view of Choi (J. Biol. Chem., 1997, Vol. 272, pg 23565-23571) has been withdrawn. Kato taught heterozygous and homozygous mice having a disruption in the nuclear hormone receptor gene VDR. Kato did not teach the VDR gene encoded the amino acid sequence of SEQ ID NO: 2 as claimed.

Conclusion

No claim is allowed.

Inquiry concerning this communication or earlier communications from the examiner should be directed to Michael C. Wilson who can normally be reached at the office on Monday, Tuesday, Thursday and Friday from 9:30 am to 6:00 pm at 571-272-0738.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to (571) 272-0547.

Art Unit: 1632

Patent applicants with problems or questions regarding electronic images that can be viewed in the Patent Application Information Retrieval system (PAIR) can now contact the USPTO's Patent Electronic Business Center (Patent EBC) for assistance. Representatives are available to answer your questions daily from 6 am to midnight (EST). The toll free number is (866) 217-9197. When calling please have your application serial or patent number, the type of document you are having an image problem with, the number of pages and the specific nature of the problem. The Patent Electronic Business Center will notify applicants of the resolution of the problem within 5-7 business days. Applicants can also check PAIR to confirm that the problem has been corrected. The USPTO's Patent Electronic Business Center is a complete service center supporting all patent business on the Internet. The USPTO's PAIR system provides Internet-based access to patent application status and history information. It also enables applicants to view the scanned images of their own application file folder(s) as well as general patent information available to the public.

For all other customer support, please call the USPTO Call Center (UCC) at 800-786-9199.

If attempts to reach the examiner are unsuccessful, the examiner's supervisor, Ram Shukla, can be reached on 571-272-0735.

The official fax number for this Group is (571) 273-8300.

Michael C. Wilson



MICHAEL WILSON
PRIMARY EXAMINER